	Application No.	Applicant(s)		
	09/851,089	OH ET AL.		
Notice of Allowability	Examiner	Art Unit		
	Laura C Cole	1744		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. This communication is responsive to 16 January 2004.				
2. The allowed claim(s) is/are <u>1-15</u> .				
3. The drawings filed on <u>09 May 2001</u> are accepted by the Examiner.				
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 				
 Certified copies of the priority documents have been received. 				
2. Certified copies of the priority documents have been received in Application No				
3. Copies of the certified copies of the priority documents have been received in this national stage application from the				
International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received:				
5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.				
(a) The translation of the foreign language provisional application has been received.				
6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE .				
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
8. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.				
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached				
1) hereto or 2) to Paper No				
(b) ☐ including changes required by the proposed drawing correction filed, which has been approved by the Examiner.				
(c) 🔲 including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).				
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s)				
1☐ Notice of References Cited (PTO-892)	5☐ Notice of Informal Pa	tent Application (PTO-152)	
2☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6☐ Interview Summary (F	PTO-413), Paper	No	
3 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No), 7☐ Examiner's Amendme	ent/Comment		
4 Examiner's Comment Regarding Requirement for Deposit of Biological Material	8⊠ Examiner's Statemen 9⊡ Other .	t of Reasons for	Allowance	

Application/Control Number: 09/851,089

Art Unit: 1744

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: None of the prior art made of record includes, in combination, a first injector in a fixed position so as not to move together with the brush arm and a second injector disposed adjacent to the brush along one side of the brush arm so as to move together with the brush arm.

Further, none of the prior art made of record includes a plurality of second injectors that comprise a plurality of pipe lines formed along the circumference of the brush arm.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Laura C Cole whose telephone number is (571) 272-1272. The examiner can normally be reached on Mondays through Thursdays, and alternating Fridays, from 7:30 am to 5 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Warden, can be reached at (571) 272-1281. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only.

Art Unit: 1744

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

rcc FCC

10 February 2004

ROBERT J. WARDEN, SR. SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1700

Robert J. Warden, In.